# Stable Ids - Summary of Activities in 2017

Copenhagen, 21 February 2018




## CETAF Stable IDs: 14 implementations

Botanic Garden and Botanical Museum Berlin, Finnish Museum of Natural History, Helsinki, Institute of Botany, Slovak Academy of Sciences, Bratislava, Museum für Naturkunde Berlin, Muséum national d'histoire naturelle, Paris, Naturalis Biodiversity Center, Leiden, The Natural History Museum, London, Natural History Museum - University of Oslo, Royal Botanic Garden Edinburgh, Royal Botanic Gardens Kew, London, Staatliche Naturwissenschaftliche Sammlungen Bayerns, Staatliches Museum für Naturkunde Stuttgart, Zoologisches Forschungsmuseum Alexander Koenig, Bonn,



# CETAF Stable IDs: 14 implementations





# Other implementations under way?

- RMCA Tervuren?
- Copenhagen?
- Who else?





Nature Correspondence (May 2017)



- Nature Correspondence (May 2017)
- StandapHerb Working Group (Berlin, June 2017)



- Nature Correspondence (May 2017)
- StandapHerb Working Group (Berlin, June 2017)
- SPNHC (Denver, June 2017)



- Nature Correspondence (May 2017)
- StandapHerb Working Group (Berlin, June 2017)
- SPNHC (Denver, June 2017)
- IBC (Shenzhen, July 2017)



- Nature Correspondence (May 2017)
- StandapHerb Working Group (Berlin, June 2017)
- SPNHC (Denver, June 2017)
- IBC (Shenzhen, July 2017)
- GBIF Nodes Meeting (Helsinki, September 2017)



- Nature Correspondence (May 2017)
- StandapHerb Working Group (Berlin, June 2017)
- SPNHC (Denver, June 2017)
- IBC (Shenzhen, July 2017)
- GBIF Nodes Meeting (Helsinki, September 2017)
- EUDAT Conference (Porto, January 2018)



- Nature Correspondence (May 2017)
- StandapHerb Working Group (Berlin, June 2017)
- SPNHC (Denver, June 2017)
- IBC (Shenzhen, July 2017)
- GBIF Nodes Meeting (Helsinki, September 2017)
- EUDAT Conference (Porto, January 2018)
- TDWG/SPNHC (Dunedin August/September 2018)



- Nature Correspondence (May 2017)
- StandapHerb Working Group (Berlin, June 2017)
- SPNHC (Denver, June 2017)
- IBC (Shenzhen, July 2017)
- GBIF Nodes Meeting (Helsinki, September 2017)
- EUDAT Conference (Porto, January 2018)
- TDWG/SPNHC (Dunedin August/September 2018)
- → Poster and PPT slides available. Please use them!



# Identifier "Sprint" (10/2017)



Main page Community portal Current events Recent changes Random page Help Donate

▼ Tools

What links here
Related changes
Upload file
Special pages
Printable version
Permanent link
Page information
Cite this page

Page Discussion Read View source View history Search Q

Log in Request account

#### IDs and LOD Discussion

In 2016 and 2017, the ISTC decided that improving LOD capabilities of CETAF Stable Identifiers for collection objects should become a priority. This involves primarily

- · activities for improving links from collection metadata to external resources and concepts and
- implementation of a working CETAF collection data index prototype as a basis for advanced inference mechanisms.

Ideas, discussions, and outcomes linked to these targets will be documented on this page. Please feel free to add your thoughts / comments / results below. More information about the CETAF identifier initiative is available on the main wikipage.

#### Contents [hide]

- 1 Improving links to external resources
  - 1.1 Linking to people
    - 1.1.1 BGBM Results
- 1.2 Linking to institutions
  - 1.2.1 1) http://grbio.org/
  - 1.2.2 2) https://www.wikidata.org/ =
- 2 CETAF collection data index
- 3 The situation at the BR herbarium, Meise

#### Improving links to external resources

#### Linking to people

[BGBM]: we started to discuss how to enrich our (rdf) metadata and concluded that we will start with looking closer at collectors. Our first step will be to export collector names and collector IDs from our herbarium management system (JACQ) and sort them by frequency of use. We will then setup a spreadsheet with columns for ...

- · collector name
- · local collector ID BGBM
- · link to example specimen(s)



 BG Meise: pragmatic (and successful) workflow for annotating collectors with links to semantic resources.



- BG Meise: pragmatic (and successful) workflow for annotating collectors with links to semantic resources.
- BGBM followed this example. 2 (student) person weeks:
  - >1000 collectors annotated
  - > 70,000 herbarium sheets with completely annotated collector teams.



- BG Meise: pragmatic (and successful) workflow for annotating collectors with links to semantic resources.
- BGBM followed this example. 2 (student) person weeks:
  - >1000 collectors annotated
  - > 70,000 herbarium sheets with completely annotated collector teams.
- Experimentation with geographic information started.



- BG Meise: pragmatic (and successful) workflow for annotating collectors with links to semantic resources.
- BGBM followed this example. 2 (student) person weeks:
  - >1000 collectors annotated
  - > 70,000 herbarium sheets with completely annotated collector teams.
- Experimentation with geographic information started.
- More difficult 🕾.



- BG Meise: pragmatic (and successful) workflow for annotating collectors with links to semantic resources.
- BGBM followed this example. 2 (student) person weeks:
  - >1000 collectors annotated
  - > 70,000 herbarium sheets with completely annotated collector teams.
- Experimentation with geographic information started.
- More difficult ⊕ interesting ⊕.



 ~ 22 Million records in GBIF have GUIDs conforming with CETAF base URIs.



- ~ 22 Million records in GBIF have GUIDs conforming with CETAF base URIs.
- Only a part of them have a redirection to machine readable content implemented.



- ~ 22 Million records in GBIF have GUIDs conforming with CETAF base URIs.
- Only a part of them have a redirection to machine readable content implemented.
- Only partly RDF.



- ~ 22 Million records in GBIF have GUIDs conforming with CETAF base URIs.
- Only a part of them have a redirection to machine readable content implemented.
- Only partly RDF.
- Options for harvesting/cataloguing CETAF IDs were discussed.



- ~ 22 Million records in GBIF have GUIDs conforming with CETAF base URIs.
- Only a part of them have a redirection to machine readable content implemented.
- Only partly RDF.
- Options for harvesting/cataloguing CETAF IDs were discussed.
- Experiments with BlazeGraph triple store (<u>https://www.blazegraph.com/</u>) were successful.



- ~ 22 Million records in GBIF have GUIDs conforming with CETAF base URIs.
- Only a part of them have a redirection to machine readable content implemented.
- Only partly RDF.
- Options for harvesting/cataloguing CETAF IDs were discussed.
- Experiments with BlazeGraph triple store (<u>https://www.blazegraph.com/</u>) were successful.
- Harvesting large providers (e.g. Edinburgh) and storing in BlazeGraph works well.



#### SYNTHESYS +

- Task for strengthening the specimen identifiers infrastructure included in NA4:
  - broadening the implementation base (focus on networks),
  - best practices for curators,
  - improve on harmonisation and standardisation of (RDF) metadata,
  - monitoring and hardening implementations,
  - identifier catalogue as a basis for semantic inference,
  - semantic annotation.



Harmonisation, quality of services



- Harmonisation, quality of services
- Outreach



- Harmonisation, quality of services
- Outreach
- Semantic annotation



- Harmonisation, quality of services
- Outreach
- Semantic annotation
- Semantic pilot applications



- Harmonisation, quality of services
- Outreach
- Semantic annotation
- Semantic pilot applications
- · ...?



- Harmonisation, quality of services
- Outreach
- Semantic annotation
- Semantic pilot applications
- · ...?

Focused workshop before/after the summer break?

